

# PASSTCERT

QUESTION & ANSWER

Higher Quality  
Better Service!

We offer free update service for one year  
[HTTP://WWW.PASSTCERT.COM](http://www.passtcert.com)

**Exam : 050-80-CASECURID01**

**Title** RSA SecurID Certified  
Administrator 8.0 Exam

**Version : DEMO**

1.Which of the following can cause the error message “Node Secret Mismatch?” (Choose two)

- A.A user is not activated on the Agent Host.
- B.The Agent is not certified as "Secured by RSA"
- C.The Agent has been uninstalled then re-installed.
- D.The Agent is installed on an unreachable remote network node.
- E.The Node Secret file has been cleared or deleted on the Agent host.

**Answer:** C,E

2.An RSA Authentication Manager Enterprise license will allow which of the following to be added to a Primary instance?

- A.multiple Replica instances
- B.Risk-Based authentication capability
- C.On-Demand authentication capability
- D.Business Continuity Option (BCO) capability

**Answer:** A

3.What circumstance would allow an administrator to have read/write access to an RSA Authentication Manager database on a Replica instance?

- A.The Replica is first promoted to a Primary instance.
- B.The Replica instance is in a different domain from the Primary instance.
- C.The database service on the Replica instance is running in Offline mode.
- D.The Replica does not have a network connection to the Primary instance.

**Answer:** A

4.The term “Silent Collection” refers to gathering information about a user’s access and authentication patterns.

- A.True
- B.False

**Answer:** A

5.Which types of administrative objects are contained within an RSA Authentication Manager Security Domain? (Choose two)

- A.Users
- B.Administrators
- C.Identity Sources
- D.Replica Instances
- E.Security Question Requirements

**Answer:** A,B

6.If a user has both a Fixed Passcode and an RSA SecurID token assigned,

- A.the Fixed Passcode becomes the user’s PIN by default.
- B.either the Fixed Passcode or the token may be used for authentication.
- C.the Fixed Passcode can only be used if the token status is set to ‘disabled’.
- D.the user must supply their secret PIN in addition to the Fixed Passcode when authenticating.

**Answer: B**

7. When adding a new Authentication Agent record to the RSA Authentication Manager database, an attempt is made to resolve the hostname of the Agent Host with its IP Address. If the attempt fails,
- A. the administrator can override the hostname/IP Address by using the Auto-Registration option.
  - B. the Agent is added to the database with a 'Pending' status until it is first used for a successful authentication.
  - C. a warning is given that the hostname/IP Address cannot be resolved but the database will allow the Agent to be added.
  - D. the administrator must correct the address resolution through DNS or editing the /etc/hosts file before the Agent can be added to the database.

**Answer: C**

8. The Operations Console allows administrators to modify attributes defined in RADIUS dictionary files.
- A. True
  - B. False

**Answer: A**

9. Can multiple Identity Sources be established from the same LDAP directory?
- A. Yes, if the mapped Organizational Units (OUs) do not overlap.
  - B. Yes, if duplicate attribute values do not exist in the LDAP directory.
  - C. No – only one LDAP directory can be mapped to one Identity Source.
  - D. Yes, if no duplicate passwords exist in the LDAP directory (unique password for each user).

**Answer: A**

10. When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?
- A. 24 hours
  - B. 5 days
  - C. 14 days
  - D. 30 days

**Answer: C**