

# PASSTCERT

QUESTION & ANSWER

Higher Quality  
Better Service!

We offer free update service for one year  
[HTTP://WWW.PASSTCERT.COM](http://www.passtcert.com)

**Exam** : **HP0-239**

**Title** : Supporting the Modular  
Array(MA) Storage Family

**Version** : DEMO

**1.Which command is used to view the available utilities offered by the ACS firmware?**

- A.LIST
- B.DIRECTORY
- C.VIEW UTILITIES
- D.SHOW UTILITIES

**Correct:B**

**2.Which ACS Version is required to run DRM?**

- A.8.7D
- B.8.7F
- C.8.7P
- D.8.7S

**Correct:C**

**3.In Transparent Failover mode, unit D102 with no preferred path is presented through port \_\_\_\_.**

- A.2 on the bottom controller
- B.2 on both controllers
- C.1 on both controllers
- D.1 on the top controller

**Correct:A**

**4.An MA8000 has been operating in a single controller configuration. You added a second HSG80 controller for redundancy and started a CLI session through the serial port of the new (lower) controller. Which command do you use to include the new controller into the existing configuration?**

- A.SET FAILOVER COPY=THIS\_CONTROLLER
- B.SET MULTIBUS\_FAILOVER=THIS\_CONTROLLER
- C.SET FAILOVER COPY=OTHER\_CONTROLLER
- D.SET MULTIBUS\_FAILOVER=OTHER\_CONTROLLER

**Correct:C**

**5.What do you enter at the CLI prompt to configure a CCL (command console LUN) on your HSG80 controller which will be fixed to LUN 0?**

- A.SET THIS\_CONTROLLER SCSI\_VERSION=SCSI-2
- B.SET SCSI\_VERSION=SCSI-2
- C.SET D0 SCSI\_VERSION=SCSI-3
- D.SET THIS\_CONTROLLER SCSI\_VERSION=SCSI-3

**Correct:D**

**6.You want to remotely configure an HSG80 controller. Before the first remote connection can be established, you must establish a local connection and \_\_\_\_.**

- A.create a CCL (command console LUN)
- B.configure the node ID
- C.set the correct time and date
- D.set the correct port topology

**Correct:A**

**7.How many HSG controllers are supported in an M2200 enclosure?**

- A.2
- B.4

C.6

D.22

**Correct:A**

**8.Which ACS versions support cloning?**

A.8.7G, 8.7F, 8.7S, 8.7L and 8.7P only

B.8.7G, 8.7F and 8.7S only

C.8.7G and 8.7F only

D.8.7G and 8.7L only

**Correct:A**

**9.Which SWCC menu selection sequence is likely to cause customer data loss?**

A.Storage, Controller Configuration, Open

B.Storage, Controller Configuration, Save

C.Storage, Controller Configuration, Load

D.Storage, Controller Configuration, Restart

**Correct:C**

**10.A model 4300 drive enclosure with a single power supply contains \_\_\_\_ blowers.**

A.1

B.2

C.3

D.4

**Correct:B**