PASSTCERT QUESTION & ANSWER

Higher Quality
Better Service!

We offer free update service for one year HTTP://WWW.PASSTCERT.COM

Exam: HP0-A22

Title : NonStop Systems and

Technologies

Version: Demo

1. Which utility displays system resource use in block mode and bar graph form?

A.PEEK

B.ViewSys

C.ViewPoint

D.SEEVIEW

Answer:B

2.In a NonStop NS16000 series server, what is one of the functions of the LSU?

A.disk mirroring

B.memory reintegration

C.system load balancing

D.correcting memory errors

Answer:B

3. What is the default TCP/IP port number used by the OSM Service Connection when connecting to the NS-series system?

A.7500

B.7501

C.9990

D.9991

Answer:C

4. What is a key attribute of online transaction processing?

A.Distributed processing does not work well with online transaction processing applications.

B.The application keeps the database current at all times by recording transactions as they occur.

C.Application complexity and high performance must be compromised to attain data integrity and data security.

D.The system may be unable to back out those transactions that transform the database from one consistent state to another.

Answer:B

5. What is the function of Group Numbers when they are assigned to hardware components?

A.They determine the order in which racks are added to the system.

B. They enable disk drives to be switched from group to group easily.

C. They correspond to the processor numbers housed within the group.

D.They uniquely identify the IOAM and p-switch components of the system.

Answer:D

6. Which adapter in NS-series systems provides connectivity to the M8xxx disk drives?

A.FESA

B.G4SA

C.FCSA

D.SNDA

Answer-C

7. Which OSM application is used to change the IP address of the p-switch in an NS-series system?

A.Event Viewer

B.Low-Level Link

C.Service Application

D.Notification Director

Answer:B

8.In an NS-series server, what is the maximum number of Fibre Channel Disk Modules (FCDM) that can be daisy-chained together?

A.2

B.4

C.6

D.8

Answer:B

9. What do you configure to enable automatic dial-out of problem event messages to a service provider?

A.\$0

B.GMCSC

C.OSM Notification Director

D.OSM Service Connection

Answer:C

10.A ServerNet Link connects a ServerNet node to which other component in a ServerNet SAN?

A.a TorusNet node

B.a ServerNet router

C.a different ServerNet group

D.a Fibre Channel disk module

Answer:B