

## Higher Quality Better Service!

We offer free update service for one year HTTP://WWW.PASSTCERT.COM

## Exam: HP0-D08

# Title :Implementing HPConverged InfrastructureSolutions

### Version : DEMO

- 1. Which CLI command should be used first to prepare the CMS for a full system backup?
- A. mxsytc-scvutil manual
- B. mxsytc-scvutil auto
- C. mxsync-scvutil start
- D. mxsync-scvutil stop backup

#### Answer: D

2. What are feature of Insight Remote Support Standard (Insight RSS)?(Select two.)

- A. base option of extended business hours [13\*5] monitoring
- B.HP Proprietary communications security protocols
- C. automatic service dispatch based on customer preferences
- D. included with Insight Control licenses
- E. does not require HP Systems Insight Manager

Answer: C, E

3. Where are HP Virtual Connect Enterprise Manager(VCEM) licenses applied in VCEM?

- A. License page
- B. License Manager
- C.VC Domain page
- D.VC Domain Group page

#### Answer: C

4. What are best practice recommendations when finding sever blades with HP Insight Control server deployment software and deploying operating systems to target server blades?

- A. The logical server functionality works best with 16 or fewer characters.
- B. When a server is discovered, always use the default name.
- C. You may use dashes, capital letters or underscore characters in the names.
- D. Avoid the use of dashes or underscores in the names.

Answer: D

5. Where is the Insight Software performance management data sample rate changed?

- A. HP Insight Control
- B. HP Insight Dynamics
- C. HP Management Agents
- D. Virtual Connect Enterprise Manager

Answer: C

6. Which software is available to provided advanced integration and management of 3rd party virtual machine environments?(Select two.)

A.HP Insight Control

B.HP Insight Control for Linux

C.HP Insight Control for PROLiant

- D.HP Insight Control for VMware vCenter.
- E.HP Insight Control for Microsoft System Center

#### Answer: C, D

7. What functionality is required on the CMS for full Insight Control server migration functionality?

- A. Network Time Protocol
- B. Internet SCSI initiator
- C. a mounted SMP-U CDROM
- D. target OS installation file in RDP

#### Answer: B

8. Which clusters are treated like virtual machine hosts when using Insight Dynamics capacity planning? A.HP-UX Service guard

- B. Vmware DRS
- C. Service guard for Linux
- D. Microsoft Cluster Server

#### Answer: B

9. Which Fibre Channel Boot Preferences setting should be used to enable the SAN boot option in a Virtual Connect Enterprise Manager Server profile?

- A. FC-boot
- B. Primary
- C. Use BIOS/EFI
- D.BFS
- Answer: B

10. What are advantage for using HP Virtual Resource Pools?(Select two.)

- A. increased data center lifespan
- B. increased total resource utilization
- C. greater insight and control over energy
- D. wire-once, dynamic assembly
- E. greater resiliency and flexbility

#### Answer: B,E

11. When using Insight Control performance management, what is the default number of samples needed to determine the status of a server?

- A.1
- B.5
- C.8
- D.12

#### Answer: B

12. When using Insight Control 6.0 server migration functionality, how can Windows and Linux 64-bit migrations be performed?

- A. Adding Insight Dynamics for ProLiant Licenses
- B. Adding Virtual Connect Enterprise Manager licenses

C. Migrating to a 32-bit virtual machine using P2V, then using V2P to migrate to 64-bit on a physical ProLiant

D. Using the native 64-bit code in the x64 Windows version to migrage

#### Answer: D

13. What types of performance management reports can be generated from HP SIM Reports->

Performance Management menu? (Select two.)

A. Export Performance Management Data

B. System Summary Report

C. Dynamic Analysis Report

D. System Comparision Report

E. Server Availability Report

Answer: B, E

14. What should you keep in mind when running Capacity Advisor reports?

A. Scenario-based reports use historical data to create the simulated workload data

B. Total system utilization is always greater than the sum of its workloads.

C. Simulated reports are more accurate than those from a direct specification, because the simulated reports do not add workload on the system.

D. The time required to run a scenario report is significantly longer than the time required to run a system-based report

#### Answer: A

15. How many c-Class blade enclosures are manageable when running HP Virtual Connect Enterprise Manager 2.0 or later?

A.250

B.1000

C.2000

D.4096

Answer: B

16. Click on the area that should be completed first when preparing the server profile to boot from SAN.

Profile.	100 A.								
fie .									
Profile	e Name		State	the second s					
Profile	_11		00	×					
ernet Netv	work Connections	(Physical ports)							
and the second se	Retwork Name	C	all stands	PXE	MA	MPR CONTRACTORY IN CONTRACTORY	Del		
	Network_1	~	Ook	Enabled		17-A4-77-00-00		X.	
			<b>Unknow</b> th	Deabled	~ 00-	17-A4-77-00-02		25	
2	Unassigned	*	a share of						
Add	Unassigned Illetwork Course nectons (Physical	ction							
Add SAN Cent	Illetwork Contre	porta)		Status Port	Speed	www.			
Add SAN Cent	llietwork Conne	ction		Status Port	Speed	50 06 08 00	00 CZ 62 0	0	
Add SAN Conr Port 1 1 T	Illetwork Conne nectons (Physical Connected To	ction porta ) FC: SAU Name		Concentration of the second	¥	a production of the second sec			
Add SAN Cont Port 1 1 8 2 8	Connected 310, Bay 3	Cflon ports) FC SAU Mame SAN_3 SAN_4		OK Auto	*	50.06.08.00			
Add SAN Cons Port 1 1 8 2 8	Illetwork Conne nectons (Physical Connected To Bay 3 Bay 4	Cflon ports) FC SAU Mame SAN_3 SAN_4		OK Auto	*	50.06.08.00			
Add SAN Cont Cont 1 E 2 E	Illetwork Conne nectons (Physical Connected To Bay 3 Bay 4	Cflon ports) FC SAU Mame SAN_3 SAN_4		OK Auto	*	50.06.08.00			
Add SAN Cont Cont 1 E 2 E	Illetwork Conne nectors (Physical Connected 10 Bay 3 Bay 4 Drw Fibre Channel B is to Server Bay	Cflon ports) FC SAU Mame SAN_3 SAN_4	2 	OK Auto	8 9	50.06.08.00 i 50.06.08.00 i			

#### Answer:

tie										
Pre	ofile Name		Statu	Contraction of the local division of the loc						
Pro	oflie <sub>ne</sub> 11		© or	£						
-	Network Connections (	Provenical contral								
EL CUEL	Hermonik Colimpication (	rivescar portal								
Bort	lietwork liame			PXE	_	MAC		Dele	22	
1	Network_1	~	Ook	Enabled	~		4-77-00-00	and the second s	×.	
	Automation of the second se		10	and the second second						
2	Unassigned Add Illetwol X Consec Connections (Physical p		O Unknown	Disabled	~	00-17-A	4.77-00-02		X	
SAN	Add Illetwork Consec Connections (Physical p	tion (				00-17-A			X	
SAN Port	Connections (Physical p	FC: SAII Mante	5	Sartians Poort	Spred		W59798		X	
SAN Port 1	Connections (Physical p Connections To Bay 3	film orfs) FC: SAN Hame SAN_3	ة <u>×</u>	Santus Poor	Spred	<u>×</u>	WWWW 50.06.08.00.0	0 (2:62:04		
SAN	Connections (Physical p	FC: SAII Mante	ة <u>×</u>	Sartians Poort	Spred		W59798	0 (2:62:04		
SAN I Nort 1 2 sign F	Connections (Physical p Connections To Bay 3	erts) FC SAN Name SAN_3 SAN_4	s ۲	Santus Poor	Spred	<u>×</u>	0000000 50 06 08 00 0 50 06 08 00 0	0 (2:62:04		

17. A customer is using the Insight Control performance management and wants to add their virtual machine environment of 3 VM hosts and 12 VM guests. How many Insight Control licenses do they need to manage this environment?

A.3


B.12

C.15

D.16

#### Answer: A

18. What are the globally assigned default utilization limits for CPU and memory for more than 15 consecutive minutes in a Capacity Advisor scenario?



19. A customer environment has two HP BladeSystem c7000 Enclosure, each fully loaded with ProLiant BL495c server blades, two Virtual Connect Ethernet Modules, and two Virtual Connect Fibre Channel Modules. How many Virtual Connect Enterprise Manager (VCEM) licenses need to be applied in order to use VCEM functionality across the whole environment?

- A.1 license
- B.2 licenses
- C.4 licenses
- D.32 licenses
- Answer: B

20. When adding a new network to the Insight Orchestration network pool that will be using a Static IP Address Space range of 192.168.1.6 to 192.168.1.6, what should the Network Address be sent to under the Network Setting tab?

A.192.168.1.0 B.192.168.1.1 C.192.168.1.5 D.192.168.1.255 **Answer:** A