

Higher Quality Better Service!

We offer free update service for one year HTTP://WWW.PASSTCERT.COM

Exam : VCP550D

Title: VMware CertifiedProfessional 5 - Data CenterVirtualization Delta Exam

Version : DEMO

1.An administrator is planning a vSphere infrastructure with the following specific networking requirements:

- -The ability to shape inbound (RX) traffic
- -Support for Private VLANs (PVLANs)
- -Support for LLDP (Link Layer Discovery Protocol)
- What is the minimum vSphere Edition that will support these requirements?
- A. vSphere Essentials Plus
- B. vSphere Standard
- C. vSphere Enterprise
- D. vSphere Enterprise Plus
- Answer: D

2.What two IT infrastructure components are virtualized by vSphere Essentials? (Choose two.)

- A. Networks
- **B.** Applications
- C. Storage
- D. Management

Answer: A,C

3.An administrator attempts to install vCenter Single Sign-On Server. The installer returns an error message indicating that the installation failed. Prior to the installation, all setup prerequisites were met. The administrator has generated a vCenter Server Single Sign-On support bundle.

Which two files should the administrator analyze to determine the cause of the failure? (Choose two.)

		Configuration Local Users & Groups Events Permissions	<u> </u>
Hardware	Processors		Properties
Health Status	General		
 Processors 	Model	Intel(R) Core(TM) i7-3740QM CPU @ 2.70GHz	
Memory	Processor Speed	2.7 GHz	
Storage	Processor Sockets	2	
Networking	Processor Cores per Socket	1	
Storage Adapters	Logical Processors	2	
Network Adapters	Hyperthreading	N/A	
Advanced Settings			
Power Management			

- A. Server\utils\logs\imsTrace.log
- B. Server\utils\logs\install.txt
- C. %TEMP%\utils\logs\vminst.log
- D. %TEMP%\vminst.log

Answer: A,D

4.Which Single Sign-On deployment mode should an administrator use for two 5.x vCenter Servers configured with linked mode?

- A. Basic Single Sign-On with vCenter Server Heartbeat
- B. Multisite Single Sign-On
- C. Basic Single Sign-On
- D. Single Sign-On with Linked Mode

Answer: B

5.-- Exhibit -

Hardware	Processors		Properties.
Health Status	General		
Processors Memory	Model Processor Speed	Intel(R) Core(TM) i7-3740QM CPU @ 2.70GHz 2.7 GHz	
Storage Networking Storage Adapters Network Adapters Advanced Settings Power Management	Processor Sockets Processor Cores per Socket Logical Processors Hyperthreading	2 1 2 N/A	

-- Exhibit -

Which two statements below could explain why the vSphere Client is reporting N/A for hyperthreading? (Choose two.)

The physical CPUs in the host do not support hyperthreading.

- A. Hyperthreading is disabled in the host's BIOS.
- B. The physical CPUs in the host are not multi-core.

C. The number of CPUs meets or exceeds the maximum without hyperthreading.

Answer: A,B